CHEMtox
Allethrin Fogging Spray

FOR INSECT CONTROL IN HOTELS, MOTELS, HOSPITALS, SCHOOLS, OFFICE BUILDINGS, WAREHOUSES, BOXCARS, SHIP'S HOLDS, BARNS AND OUTDOORS FOR MOSQUITO CONTROL.

	ACTIVE INGREDIENTS:	
	D-trans Allethrin	1.25%
*	Piperonyl Butoxide, Technical.....	5.00%
**	**INERT INGREDIENTS**.....	93.75%
	TOTAL	100.00%

* Equivalent to 4.0% (butylcarbityl) (6-propyl piperonyl) ether and 0.2% related compounds.

** contains Petroleum Distillate - 93.75%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 45385-3

EPA Est. No. 45385-OH-1

DIRECTION FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store in original container and place in a cool, dry, locked or secured storage area.

Pesticide Disposal:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal:

1. HOUSEHOLD (All)- Do not reuse empty container (bottle, can). Rinse thoroughly, securely wrap original container in several layers of newspaper and discard in trash. 2. METAL (non-aerosol)- Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved State and local authorities.

3. PLASTIC Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke.

Net ☐ 1 Gallon ☐ 5 Gallons ☐ 30 Gallons ☐ 55 Gallons

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Do not induce vomiting . Call a Physician or Poison Control Center immediately.

If inhaled - Remove victim to fresh air.

If on skin - Remove contaminated clothing and wash affected area of skin with soap and water. Get medical attention if irritation persists. Wash contaminated clothing separately from other laundry.

If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist, and provide adequate ventilation of area being treated. Contact with the eyes, skin or clothing should be avoided. Do not allow children or pets to contact treated surfaces until spray has dried. Remove food before treatment. In home, food contact surfaces, dishes, and utensils must be washed with an effective cleaning compound followed by a potable water rinse after using this product.

For household use: Remove pets and cover fish aquariums before treatment.

In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes. . Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters. Apply the product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not pour, use, spill or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTION FOR USE continued

APPLICATION:

For rapid control of **FLIES, FRUIT FLIES, GNATS, MOSQUITOES, SKIPPER FLIES, WASPS, HORNETS, and TOBACCO MOTHS :** Close doors and windows and shut off ventilating systems. Apply using a good sprayer adjusted to deliver a fine mist or fog. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1000 cu. ft. of space. Direct the spray toward the ceiling and upper corner of the area and behind obstructions. Keep the area closed for at least 15 minutes. Repeat treatment as necessary.

SURFACE SPRAYING: To control **ROACHES, ANTS, SILVERFISH, SPIDERS, CRICKETS, CLOVERMITES, CHEESE MITES, SPIDER BEETLES, CIGARETTE BEETLES, DRUGSTORE BEETLES and CADELLES:** Use a good sprayer adjusted to deliver a coarse, wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers, around the base of machinery, behind shelves and drawers. For **SILVERFISH**, spray bookcases. For **ANTS**, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls, and other surfaces at the rate of 1 gal. to 750 sq. ft. of surface.

To control **CARPET BEETLES:** Spray edges of carpeting and under carpeting, rugs and infested clothing and furniture. Make a localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as necessary. To control **FLEAS a**nd **BROWN DOG TICKS:** Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. **DO NOT TREAT ANIMALS WITH THIS PRODUCT.** Repeat treatment as necessary. To control **CLOTH MOTHS:** Remove any infested articles, brush thoroughly and air for severalhours in sunlight, if possible. Apply spray liberally in empty chests, closets, bureaus and storage sites, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping the spray nozzle at least three feet from the fabric to avoid staining. Store cloth in moth tight containers or repeat treatment monthly.

IN HORSE BARNS and on HORSES: (If horses are not used for food). This insecticide may be applied as a fine mist to stable areas and over and around stabled horses for fast paralysis and killing of flies. Do not wet horse's skin or exceed two ounces per application.

OUTDOOR ADULT MOSQUITO CONTROL: Apply as a fine mist, thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. treat shrubbery or vegetation where mosquitoes may rest. Apply at a rate of 10 fl. oz. per acre (1/4 oz. per 1000 sq. ft.). When truck-mounted conventional misting equipment (traveling at 5 m.p.h.) , calibrate the equipment to deliver 13.8 gal. per hour or 1 pint 13 fl. oz. per minute to treat a 300 foot swath.

TERMS OF SALE OR USE ON PURCHASE OF USE OF THIS PRODUCT:

WARRANTY: Manufacturer and seller warrants that this product, as of the time of sale conforms to the ingredient statement on the label, and is reasonably fit for the purposes set forth in the Directions for Use. Except as so warranted the product is sold as is. Manufacturer makes no other warranty express or Implied.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS. Because of certain critical conditions created or incurred by buyer or user or over which manufacturer has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release manufacturer from, liability arising out of handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at **1-800-858-7378**

CTX CENOL INCORPORATED
P.O. Box 472 • Twinsburg, OH 44087

SPECIMEN LABEL

06 / 2000

ORDER CODE O-302